



RØR FRA PGFLOWTEKNIK SCANDINAVIA APS



The Queen's Award for Enterprise Magazine



Sunday Times
Fast Track 100
2008



Sunday Times
Fast Track 100
2007



Sunday Times
Fast Track 100
2006



Registered 12205



SØMLØSE RØR

Metric	Wall	Weight	304L	316L
O/D (mm)	(mm)	Kg/Mtr		
1.24	0.2	0.0053		
1.588	0.254	0.0087		
2	0.2	0.0093		
2.38	0.41	0.0208		
2.5	0.2	0.0118		
3	0.25	0.0177		
3	0.3	0.0208		
3.175	0.254	0.0191		
3.175	0.406	0.0289		
3.18	0.71	0.0451		
3.18	0.91	0.0531		
3.51	0.4	0.0320		
3.97	0.254	0.0243		
3.97	0.4064	0.0372		
4	1	0.0772		
4.5	0.5	0.0514		
4.76	0.508	0.0556		
4.76	0.56	0.0605		
4.76	0.71	0.0740		
4.76	0.91	0.0901		
4.76	1.22	0.1111		
5	0.5	0.0579		
5	1	0.1029		
6	0.5	0.0707		
6	0.75	0.1013		
6	1	0.1286		
6	1.5	0.1736		
6	2	0.2058		
6.35	0.71	0.1030		
6.35	0.914	0.1278		
6.35	1.22	0.1610		
6.35	1.24	0.1630		
6.35	1.63	0.1979		
7	1	0.1543		
7.94	0.71	0.1320		
7.94	0.91	0.1645		
7.94	1.24	0.2137		
8	0.5	0.0965		
8	1	0.1800		
8	1.5	0.2508		
8	2	0.3086		
9	1	0.2058		
9.525	0.203	0.0487		
9.525	0.71	0.1610		
9.525	0.91	0.2016		

Metric	Wall	Weight	304L	316L
O/D (mm)	(mm)	Kg/Mtr		
9.525	1.63	0.3310		
9.525	1.65	0.3342		
9.525	2.03	0.3913		
9.525	2.11	0.4024		
10	1	0.2315		
10	1.2	0.2716		
10	1.5	0.3279		
10	2	0.4115		
11	2	0.4630		
11.11	1.63	0.3974		
12	1	0.2829		
12	1.5	0.4051		
12	2	0.5144		
12	2.5	0.6109		
12.7	0.71	0.2190		
12.7	0.91	0.2759		
12.7	1.22	0.3602		
12.7	1.24	0.3655		
12.7	1.63	0.4641		
12.7	1.65	0.4689		
12.7	2.11	0.5747		
12.7	2.63	0.6812		
12.7	3.25	0.7899		
14	1	0.3344		
14	2	0.6173		
15	1	0.3601		
15	1.5	0.5208		
15	2	0.6687		
15.88	0.91	0.3504		
15.88	1.24	0.4669		
15.88	1.65	0.6039		
15.88	2.11	0.7473		
15.88	3.25	1.0557		
16	1	0.3858		
16	1.5	0.5594		
16	2	0.7202		
16	3	1.0031		
18	1	0.4372		
18	1.5	0.6366		
18	2	0.8230		
19.05	0.914	0.4263		
19.05	1.24	0.5680		
19.05	1.65	0.7384		
19.05	2.11	0.9193		

Metric	Wall	Weight	304L	316L
O/D (mm)	(mm)	Kg/Mtr		
19.05	2.64	1.1143		
19.05	3.25	1.3207		
20	1	0.4887		
20	1.5	0.7137		
20	2	0.9259		
20	2.5	1.1253		
20	3	1.3117		
20	3.25	1.4001		
22	0.7	0.3835		
22	1.5	0.7909		
22	2	1.0288		
22.22	1.22	0.6589		
22.22	1.65	0.8729		
22.22	3.25	1.5857		
23	1.5	0.8295		
25	1.5	0.9066		
25	2	1.1831		
25	2.5	1.4468		
25	3	1.6975		
25	4	2.1605		
25.4	0.91	0.5732		
25.4	1.22	0.7587		
25.4	1.24	0.7705		
25.4	1.65	1.0079		
25.4	2.11	1.2639		
25.4	2.64	1.5454		
25.4	3.25	1.8515		
28	1.5	1.0224		
28	2	1.3374		
30	2	1.4403		
30	3	2.0833		
30	4	2.6749		
31.75	2.11	1.6085		
35	3	2.4691		
38	3	2.7006		
38	4	3.4979		
38	5	4.2438		
38.1	1.24	1.1756		
38.1	1.65	1.5469		
38.1	2.11	1.9531		
42	3	3.0092		
42	4	3.9094		
50.8	6.35	7.2597		
76.1	2	3.8117		

GEVIND RØR

Wall Thickness, Weight and Availability																		
Stock Item											Non Stock Item							
			SCH 10S				SCH 40S				SCH 80S				SCH 160			
NB	OD	DN	Wall	Weight	304L	316L	Wall	Weight	304L	316L	Wall	Weight	304L	316L	Wall	Weight	304L	316L
Inch	mm	mm	Thick	Kg/Mtr			Thick	Kg/Mtr			Thick	Kg/Mtr			Thick	Kg/Mtr		
1/4	13.7	8	1.65	0.49			2.24	0.64			3.02	0.82			-	-	-	-
3/8	17.2	10	1.65	0.63			2.31	0.87			3.20	1.12			-	-	-	-
1/2	21.3	15	2.11	1.02			2.77	1.29			3.73	1.62			4.75	1.97		
3/4	26.7	20	2.11	1.30			2.87	1.71			3.91	2.93			5.56	2.93		
1	33.4	25	2.77	2.13			3.38	2.54			4.55	3.29			6.35	4.30		
1 1/4	42.2	32	2.77	2.73			3.56	3.44			4.85	4.56			6.35	5.69		
1 1/2	48.3	40	2.77	3.11			3.68	4.11			5.08	5.49			7.14	7.35		
2	60.3	50	2.77	3.99			3.91	5.52			5.54	7.60			8.74	11.26		
2 1/2	73	65	3.05	5.26			5.16	8.77			7.01	11.59			9.53	14.91		
3	88.9	80	3.05	6.45			5.49	11.47			7.62	15.51			11.13	21.30		
3 1/2	101.6	90	3.05	7.73			5.74	14.15			8.08	19.43			-	-	-	-
4	114.3	100	3.05	8.36			6.02	16.07			8.56	22.66			13.49	33.54		
5	141.4	125	3.40	11.60			6.55	21.08			9.53	31.00			15.88	49.11		
6	168.3	150	3.40	13.82			7.11	28.26			10.93	42.56			18.24	67.53		
8	219.1	200	3.76	20.00			8.18	42.55			12.70	64.64			23.01	111.27		

